



# DCG159HD 1.3 MEGA PIXEL 720P HD DOME CAMERA

ITEM NUMBER: 066BS159GHD  
MODEL: SAM-2982

HD CCTV dome camera 720p 1.3 Mega Pixel, HD-CVI, 30m (98ft) night vision – 2HAC

## Key Features

Compact Colour Dome Camera  
1/3" CMOS 1.3 Megapixel Video  
Board HD-CVI  
720p HD resolution  
2.8mm fixed lens  
2 Array Infrared LEDs for  
up to 30m (98ft) night vision  
3 Axis design

CCTV Systems  
Distribution Ireland  
Unit 6A Aran Centre  
Blessington Business Park  
Blessington  
Co. Wicklow  
Ireland

Phone: +353 1 443 3386  
Web: [www.cctvdi.com](http://www.cctvdi.com)  
Email: [sales@cctvdi.com](mailto:sales@cctvdi.com)

**cctvdi.com**  
HD CCTV for Less!

## Description

CCTV colour compact dome camera, 1.3 Mega Pixel 720p HD resolution, HD-CVI. The camera is equipped with infrared night vision and suitable for outdoor and indoor use.

The camera provides high definition video via coaxial cable or UTP (unshielded twisted pair)\*.

The CMOS high-performance video sensor provides a HD 720p quality image and is compatible with the HD-CVI standard.

Fixed optical lens with 2.8mm wide angle focal length with a diagonal field of view of up to 94°.

2 Array infrared LEDs are activated automatically in low light conditions, providing a sharp image at 0lux (total darkness) to a maximum distance of 30m (98ft).

The integrated automatic IR CUT filter provides a sharp image with realistic colours during daytime operation.

The following image improvement features are integrated:

- AE Auto Exposure
- 2D-NR Noise Reduction without loss of focus
- AWB Automatic White Balance

Video connection via standard BNC connector for HD-CVI video transmission, switchable to an analogue CVBS (PAL), 960H output (for testing purposes).

Solid housing made of aluminium, weatherproof according to IP66 specifications, can be used outdoors and indoors. It has a three axis design bracket that allows easy and accurate adjustment of the viewing angle with wall or ceiling installation. Bracket is included.

## Scope of Delivery

HD CCTV camera DCG159HD  
Fittings  
Power adapter 12V DC  
Manual

\*HD Video Baluns required for UTP transmission

## Technical Specifications

Image Sensor	1/3" 1.3 Megapixel High Performance CMOS
Resolution	HD 720p (1280x720 pixels) at 25/30fps 960H analogue CVBS (for testing purposes)
Video Output	1x BNC for HDCVI and CVBS (switchable)
Minimum Illumination	0.01Lux/F2.0, 0Lux IR on
Night vision	2 Array Infrared LEDs, up to 30m (98ft) infrared night vision with automatic IR CUT filter
Lens	2.8mm optical fixed lens, up to 94° field of view
Image Enhancement	Day / Night IR-CUT (ICR), 2D-NR, AE, AWB, AGC, Smart IR
Weatherproof and Dustproof rating	IP66 for outdoor and indoor use
Housing	solid metal housing made of aluminium, colour: dark grey
Power Supply	DC 12V, 300mA, Power Supply included
Operating Temperature	-10° C ~ +50° C, Humidity: <90%
Dimensions	104 x 93.2 x 70.8mm
Weight	260g
Camera Type	HD 720p HD/CVI Lite Range (2HAC)